

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2337	@ad<"19990904" and 713/200	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/12 12:20
L2	2255	@ad<"19990904" and 713/201	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/12 12:20
L3	1376	@ad<"19990904" and 713/1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/12 12:20
L4	372	(1 2 3) and smart adj card	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/12 12:21
L5	275	4 and personal\$5	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/12 12:21
L6	276	4 and personal\$8	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/12 12:21
L7	66	4 and personal\$8 with smart adj card	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/12 12:21
S1	8457	"2" and access with control and user and role	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/07 15:24
S2	8056	("2" and access with control and user and role) and application	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/24 10:58
S3	4107	("2" and access with control and user and role) and application with (operation function)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/24 10:58
S4	3669	((("2" and access with control and user and role) and application with (operation function)) and (initiate start login "log in")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/24 11:00
S5	2049	((("2" and access with control and user and role) and application with (operation function)) and (initiate start login "log in")) and attribute	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/24 10:59
S6	921	((("2" and access with control and user and role) and application with (operation function)) and (initiate start login "log in")) and attribute) and policy	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/24 11:00
S7	428	(((((("2" and access with control and user and role) and application with (operation function)) and (initiate start login "log in")) and attribute) and policy) and role with user	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/24 11:17

S8	84	(((((("2" and access with control and user and role) and application with (operation function)) and (initiate start login "log in")) and attribute) and policy) and role with user) and (initiate start login "log in") with (check determine verify)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/24 11:07
S9	1	"5937159".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/24 11:07
S10	12	("4885749" "4945468" "4984272" "5023773" "5032979" "5321841" "5361359" "5506961" "5572673" "5594904" "5699513" "5781550").PN.	USPAT	OR	ON	2004/02/24 11:13
S11	8	"5937159".URPN.	USPAT	OR	ON	2004/02/24 11:11
S12	1	"6158010".pn.	USPAT	OR	ON	2004/02/24 11:13
S13	9	("5265221" "5557747" "5835726" "5841869" "5968176" "5983270" "5983350" "5991877" "6035399").PN.	USPAT	OR	ON	2004/02/24 11:14
S14	252	(((((("2" and access with control and user and role) and application with (operation function)) and (initiate start login "log in")) and attribute) and policy) and role with user) and user with context	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/24 11:17
S15	53	(((((("2" and access with control and user and role) and application with (operation function)) and (initiate start login "log in")) and attribute) and policy) and role with user) and user with security with context	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/24 11:18
S16	2914092	@ad<"19990904"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/24 15:38
S17	1193	@ad<"19990904" and access with control and end with session	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/24 15:41
S18	15	@ad<"19990904" and access with control and end with session with delete	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/24 16:04
S19	2088	@ad<"19990904" and 713/201	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/12 12:20
S20	2202	@ad<"19990904" and 713/200	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/24 16:04

S21	167	@ad<"19990904" and 713/159	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/24 16:04
S22	98	@ad<"19990904" and 713/152	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/24 16:06
S23	207	@ad<"19990904" and 705/67	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/24 16:07
S24	1601	((@ad<"19990904" and 713/201) (@ad<"19990904" and 713/200) (@ad<"19990904" and 713/159) (@ad<"19990904" and 713/152) (@ad<"19990904" and 705/67)) and access with control	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/04 08:39
S25	334	(((@ad<"19990904" and 713/201) (@ad<"19990904" and 713/200) (@ad<"19990904" and 713/159) (@ad<"19990904" and 713/152) (@ad<"19990904" and 705/67)) and access with control) and user and role	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/24 16:07
S26	76	(((((ad<"19990904" and 713/201) (@ad<"19990904" and 713/200) (@ad<"19990904" and 713/159) (@ad<"19990904" and 713/152) (@ad<"19990904" and 705/67)) and access with control) and user and role) and login	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/24 16:07
S27	375402	@ad<"19990904" and computer	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/04 08:39
S28	4084	@ad<"19990904" and computer and intel.asn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/04 08:40
S29	79052	@ad<"19990904" and computer and memory and instructions	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/04 08:40
S30	46843	@ad<"19990904" and computer and memory same instructions	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/04 08:40
S31	13799	@ad<"19920904" and computer and memory same instructions	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/04 08:40
S32	9126	@ad<"19880904" and computer and memory same instructions	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/04 08:41
S33	3496	@ad<"19880904" and computer and memory same instructions and access with control	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/04 08:41

S34	1972	@ad<"19880904" and computer and memory same instructions and access with control and program with stored	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/04 08:41
S35	1703	@ad<"19860904" and computer and memory same instructions and access with control and program with stored	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/04 08:41
S36	1229	@ad<"19820904" and computer and memory same instructions and access with control and program with stored	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/04 08:41
S37	947	@ad<"19800904" and computer and memory same instructions and access with control and program with stored	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/04 08:44
S38	65	@ad<"19800904" and computer and memory same instructions and access with control and program with stored and adapted with store	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/04 08:47
S39	160	@ad<"19800904" and computer and memory same instructions and access with control and program with stored and user with computer	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/04 08:57
S40	1	"3504132".PN.	USPAT	OR	OFF	2004/03/04 08:51
S41	1	"3944976".PN.	USPAT	OR	OFF	2004/03/04 08:51
S42	1	"3958081".PN.	USPAT	OR	OFF	2004/03/04 08:51
S43	79	@ad<"19800904" and computer and adapted with store with programs	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/04 08:59
S44	0	@ad<"19800904" and computer.ttl.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/04 08:59
S45	0	@ad<"19840904" and computer.ttl.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/04 08:59
S46	4282	@ad<"19800904" and computer and memory with programs	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/04 09:00
S47	76	@ad<"19800904" and computer and memory with programs and multiple with users	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/04 09:00
S49	2919834	@ad<"19990904"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/06 10:58
S50	52	S49 and control\$3 near2 access and "713"/\$.cls. and tuple	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/06 10:59

S51	40	S49 and control\$3 near2 access and "713"/\$.ccls. and \$4tuple	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/06 14:11
S52	97	"1" and authoriz\$6 and "713"/\$.ccls. and \$4tuple	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/06 14:11
S53	2919834	@ad<"19990904"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/06 14:11
S54	34	S53 and authoriz\$6 and "713"/\$.ccls. and \$4tuple	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/06 14:22
S55	29	S53 and access adj control\$3 and "713"/\$.ccls. and \$4tuple	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/06 14:36
S56	253	S53 and access adj control\$3 and \$4tuple	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/06 14:24
S57	66	S53 and access adj control\$3 and \$4tuple and role	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/06 14:32
S58	33	("4621321" "4701840" "5163147" "5173939" "5202997" "5263157" "5265221" "5276901" "5701458" "5720033" "5765153" "5768504" "5787427" "5802276" "5809506" "5903720" "5911143" "6023765" "6044466" "6088679").PN. OR ("6202066").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/06 14:35
S59	0	S58 and \$4tuple	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/06 14:35
S60	2	S58 and tuple	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/06 14:36
S61	40	S53 and access adj control\$3 and "713"/\$.ccls. and tuple	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/06 15:51
S62	1	S53 and user with tuple and role with tuple	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/06 14:51
S63	286	S53 and access adj control\$3 and "713"/\$.ccls. and role	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/06 16:08
S64	19	S63 and tuple	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/06 15:03

S65	19	S63 and (tuple tu-ple t-ple "t ple" "tu ple" 2-ple 3-ple 4-ple 5-ple 6-ple)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/06 16:10
S66	114	S53 and access adj control\$3 and "713"/\$.ccls. and role and attribute	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/06 15:52
S67	34	S53 and access adj control\$3 and "713"/\$.ccls. and role same attribute	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/06 15:55
S68	1	"6088679".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/06 15:55
S69	6	S53 and trust with model and attribute and assertion	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/06 16:07
S70	61	S63 and name with value	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/06 16:33
S71	105	S53 and (tuple tu-ple t-ple "t ple" "tu ple" 2-ple 3-ple 4-ple 5-ple 6-ple) and "713"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/06 16:12
S72	33	S71 and role	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/06 16:12
S73	31	S71 and name with value	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/06 16:54
S74	24	S53 and role with level and user with level and access adj control\$4 and "713"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/06 16:55
S75	2919930	@ad<"19990904"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/07 14:46
S76	2	S75 and user with assertion and role with assertion	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/07 15:18
S77	126	S75 and user with attribute and role with attribute	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/07 15:23
S78	60	S77 and access with control and user and role	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/07 15:42